

## AMENDMENTS TO THE CLAIMS

Claim 1. (currently amended): A thin film analysis system for analyzing a test sample, the test sample comprising a thin film formed on a substrate and a contaminant layer formed on the thin film, the thin film analysis system comprising:

an energy beam source for directing an energy beam at the contaminant layer during a cleaning operation, the energy beam being configured to remove a portion of the contaminant layer to expose an analysis area on the thin film; and

a thin film analysis module for ~~performing a measurement operation on~~ measuring the thin film at the analysis area.

Claim 2 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module comprises an ellipsometry system.

Claim 3 (original): The thin film analysis system of Claim 2, wherein the ellipsometry system comprises a single-wavelength ellipsometry system.

Claim 4 (original): The thin film analysis system of Claim 2, wherein the ellipsometry system comprises a spectroscopic ellipsometry system.

Claim 5 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module comprises a reflectometry system.

Claim 6 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module comprises a non-contact electrical analysis system.

Claim 7 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module comprises a contact-based electrical analysis system.

Claim 8 (original): The thin film analysis system of Claim 1, wherein the energy beam source comprises a pulsed laser.

Claim 9 (original): The thin film analysis system of Claim 8, wherein the pulsed laser comprises a Q-switched laser.

Claim 10 (original): The thin film analysis system of Claim 9, wherein the Q-switched laser comprises a yttrium aluminum garnet (YAG) laser.

Claim 11 (original): The thin film analysis system of Claim 10, wherein the YAG laser operates at a wavelength of approximately 532nm.

Claim 12 (original): The thin film analysis system of Claim 10, wherein the YAG laser operates at a wavelength of approximately 355nm.

Claim 13 (original): The thin film analysis system of Claim 8, wherein the pulsed laser comprises a pulsed diode laser.

Claim 14 (original): The thin film analysis system of Claim 8, wherein the pulsed laser comprises an alexandrite laser.

Claim 15 (original): The thin film analysis system of Claim 1, wherein the energy beam source comprises a continuous laser modulated to produce a pulse.

Claim 16 (original): The thin film analysis system of Claim 1, wherein the energy beam source comprises a laser having a pulse energy between approximately 5 to 100  $\mu$ Joules.

Claim 17 (original): The thin film analysis system of Claim 1, wherein the energy beam source comprises an optical fiber for transmitting the laser beam from an energy beam generator to the portion of the contaminant layer.

Claim 18 (original): The thin film analysis system of Claim 1, wherein the energy beam source comprises a flashlamp.

Claim 19 (original): The thin film analysis system of Claim 1, wherein the analysis area comprises a non-functional region of the test sample.

Claim 20 (original): The thin film analysis system of Claim 1, wherein the analysis area comprises a length and a width, wherein the length and the width are both approximately 20 $\mu$ m or greater.

Claim 21 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module is configured to direct a probe beam at the analysis area during the measurement operation, wherein the probe beam is focused on a first location on the test sample and the energy beam is focused on a second location on the test sample, the first location and the second location being substantially the same.

Claim 22 (withdrawn)

Claim 23 (withdrawn)

Claim 24 (original): The thin film analysis system of Claim 1, wherein the thin film analysis module is configured to apply a probe structure to the analysis area during the measurement operation, wherein the probe structure is aimed at a first location on the test sample and the energy beam is focused on a second location on the test sample, the first location and the second location being substantially the same.

Claim 25 (withdrawn)

Claim 26 (withdrawn)

Claim 27 (currently amended): A method for analyzing a test sample, wherein a contaminant layer covers a thin film ~~surface~~ of the test sample, the method comprising:

placing the test sample on a stage;

directing an energy beam at a first location on the contaminant layer while the test sample is on the stage, the energy beam removing a first portion of the contaminant layer to expose a first analysis area of the thin film ~~on the surface of the test sample~~; and

measuring the thin film ~~test sample~~ at the first analysis area while the test sample is on the stage.

Claim 28 (cancelled)

Claim 29 (currently amended): The method of Claim 27, wherein measuring the thin film ~~test sample~~ comprises performing an ellipsometry analysis.

Claim 30 (currently amended): The method of Claim 27, wherein measuring the thin film ~~test sample~~ comprises performing a reflectometry analysis.

Claim 31 (currently amended): The method of Claim 27, wherein measuring the thin film ~~test sample~~ comprises performing a non-contact electrical analysis.

Claim 32 (currently amended): The method of Claim 27, wherein measuring the thin film ~~test sample~~ comprises performing a contact-based electrical analysis.

Claim 33 (original): The method of Claim 27, wherein directing the energy beam comprises applying at least one pulse from a pulsed laser to the first location on the contaminant layer.

Claim 34 (original): The method of Claim 33, wherein the pulsed laser comprises a Q-switched yttrium aluminum garnet (YAG) laser.

Claim 35 (original): The method of Claim 27, wherein the first analysis area comprises a non-functional region of the test sample.

Claim 36 (original): The method of Claim 27, wherein the first analysis area comprises a length and a width, wherein the length and the width are both approximately 20 $\mu$ m or greater.

Claim 37 (currently amended): The method of Claim 27, further comprising:

directing the energy beam at a second location on the contaminant layer, the energy beam removing a second portion of the contaminant layer to expose a second analysis area of the thin film ~~on the surface of the test sample~~; and

measuring the thin film ~~test sample~~ at the second analysis area.

Claim 38 (withdrawn)

Claim 39 (withdrawn)

Claim 40 (withdrawn)

Claim 41 (currently amended): A thin film analysis system for analyzing a test sample, the test sample comprising a thin film formed on a substrate and a contaminant layer formed on the thin film, the thin film analysis system comprising:

means for directing an energy beam at the contaminant layer during a cleaning operation, the energy beam removing a portion of the contaminant layer to expose an analysis area on the thin film; and

means for ~~performing a measurement operation on~~ measuring the thin film at the analysis area.

Claim 42 (currently amended): The thin film analysis system of Claim 41, wherein the ~~thin film analysis module~~ means for measuring the thin film comprises means for performing at least one of ellipsometry analysis, reflectometry analysis, non-contact electrical measurement, contact-based electrical

measurement, grazing-incidence x-ray reflectometry, and electron microprobe analysis.

Claim 43 (original): The thin film analysis system of Claim 41, wherein the means for directing the energy beam comprises a Q-switched yttrium aluminum garnet (YAG) laser.

Claim 44 (original): The thin film analysis system of Claim 41, wherein the means for performing a measurement operation comprises means for directing a probe beam at the analysis area during the measurement operation, wherein the probe beam is focused on a first location on the test sample and the energy beam is focused on a second location on the test sample, the first location and the second location being substantially the same.

Claim 45 (withdrawn)

Claim 46 (withdrawn)

Claim 47 (original): The thin film analysis system of Claim 41, wherein the means for performing a measurement operation comprises means for applying a probe structure to the analysis area during the measurement operation, wherein the probe structure is aimed at a first location on the test sample and the energy beam is focused on a second location on the test sample, the first location and the second location being substantially the same.

Claim 48 (withdrawn)

Claim 49 (withdrawn)

Claim 50 (cancelled)